

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please CANCEL claims 11 and 22 and AMEND claims 1-10 and 12-21 in accordance with the following:

1. (CURRENTLY AMENDED) A control system in communication with a host control system and having a download function, comprising:

a first storage element storing execution program data ~~for executing to execute~~ a control function in a rewritable status;

a second storage element ~~storing to store~~ a download module ~~containing~~including fresh pieces of update target execution program data and module identifying information;

a first control unit ~~receiving to receive~~ the download module encrypted in the host control system by an encryption key generated from the same program data as the execution program data stored in said first storage element and from the module identifying information, and ~~storing to store~~ the received download module in said second storage element; and

a second control unit ~~decrypting to decrypt~~ the download module by an encryption key generated in the control system itself from ~~data in the~~ execution program data in said first storage element and from ~~data the~~ module identifying information of the download module in said second storage element and ~~replacing to replace~~, when a storage start address, a data length and a check digit that are encrypted in the download module are decrypted into valid values in a plain text, the execution program data in said first storage element with the fresh execution program data decrypted.

2. (CURRENTLY AMENDED) A control system having a download function according to claim 1, further comprising a third control unit ~~making to control~~ the control system to receive the download module receivable that contains the ~~including the~~ fresh execution program data for ~~only~~ a predetermined fixed period of time after starting the download function.

3. (CURRENTLY AMENDED) A control system having a download function according to claim 2, further comprising a fourth control unit ~~making to control~~ the control system to receive

the download module ~~receivable that contains the~~ including the fresh execution program data by restarting the download function when receiving a specified reset command in a state of being unable to receive the download module.

4. (CURRENTLY AMENDED) A control system having a download function according to claim 2 or 3, further comprising a third storage element ~~storing to store~~ a loader executed first when starting the download function, ~~storing to store~~ the download module in said second storage element and ~~executing to execute~~ the execution program data for the control function that are stored in said first storage element.

5. (CURRENTLY AMENDED) A control system having a download function according to claim 4, further comprising a fifth control unit controlling the control system to make ~~making~~ the execution program data in said first storage element executable by the loader when a check digit value obtained as a result of calculation based on all pieces of data in the execution program data in said first storage element, is coincident with data in a specified address in the execution program data in said first storage element.

6. (CURRENTLY AMENDED) A control system having a download function according to claim 5, further comprising a sixth control unit ~~storing to store~~ the execution program data, executable and stored in said first storage element, in said third storage element stored with the loader, and ~~restoring to restore~~ the control function by storing said first storage element with the loader's own execution program data in said third storage element when judging that the execution program data can not be executed as a result of checking the execution program data in said first storage element upon a startup of the loader.

7. (CURRENTLY AMENDED) A control system having a download function according to claim 5, further comprising a seventh control unit enabling to enable the fresh execution program data to be stored by initializing said first storage element into a known status when judging that the execution program data can not be executed as a result of checking the execution program data in said first storage element upon a startup of the loader.

8. (CURRENTLY AMENDED) A control system having a download function according to claim 6, further comprising an eighth control unit setting to set a queuing time till the loader's own execution program data are stored in said first storage element, and restricting a repetition of

initializing said first storage element by the loader and storing said second storage element with the download module containing unlawful execution program data.

9. (CURRENTLY AMENDED) A control system having a download function according to claim 7, further comprising a ninth control unit ~~setting to set~~ a queuing time till said first storage element is initialized by the loader, and restricting a repetition of initializing said first storage element by the loader and ~~storing to store~~ said second storage element with the download module containing unlawful execution program data.

10. (CURRENTLY AMENDED) A control system having a download function according to claim 1, wherein the download module ~~is structured of~~ including a fixed-length header field stored with the module identifying information ~~containing~~ including at least a module name, a module creation date, a module version number and a storage start address, and at least one data field stored with a block length and data having a length corresponding to this block length, and

there is encrypted a block having the data field ~~containing~~ including an actual data length corresponding to the execution program data, a storage start address, the execution program data, pad data for adjusting a data length to a cipherable length and a check digit generated from the above data.

11. (CANCELLED) A control system having a download function according to claim 10, wherein the download module is decrypted by an encryption key generated from the data in the execution program data in said first storage element and from the data in the module identifying information of the download module in said second storage element.

12. (CURRENTLY AMENDED) A download control method of a control system, comprising:

storing a first storage element with execution program data for executing a control function in a rewritable status;

storing a second storage element with a download module ~~containing~~ including fresh pieces of update target execution program data and module identifying information;

receiving the download module encrypted in a host control system by an encryption key generated from the same program data as the execution program data stored in said first storage element and from the module identifying information, and storing the received download module in said second storage element; and

decrypting the download module by an encryption key generated in the control system itself from data in the execution program data in said first storage element and from data the module identifying information of the download module in said second storage element and replacing, when a storage start address, a data length and a check digit that are encrypted in the download module are decrypted into valid values in a plain text, the execution program data in said first storage element with the fresh execution program data decrypted.

13. (CURRENTLY AMENDED) A download control method according to claim 12, further comprising controlling the control system to receive ~~making the download module receivable that contains~~including the fresh execution program data for only a predetermined fixed period of time after starting the download function.

14. (CURRENTLY AMENDED) A download control method according to claim 13, further comprising controlling the control system to receive ~~making the download module receivable that contains~~including the fresh execution program data by restarting the download function when receiving a specified reset command in a state of being unable to receive the download module.

15. (CURRENTLY AMENDED) A download control method according to claim 13 or 14, further comprising executing first a loader stored in a third storage element, executing the download function by this loader, and executing the execution program data for the control function that are stored in said first storage element when it is normally ended to make the download module receivable by the download function.

16. (CURRENTLY AMENDED) A download control method according to claim 15, further comprising making the execution program data in said first storage element executable by the loader when a check digit value obtained as a result of a calculation based on all pieces of data in the execution program data in said first storage element, is coincident with data in a specified address in the execution program data in said first storage element.

17. (CURRENTLY AMENDED) A download control method according to claim 16, further comprising:

storing the execution program data, executable and stored in said first storage element, in said third storage element stored with the loader; and

restoring the control function by storing said first storage element with the loader's own execution program data in said third storage element when ~~judging~~determining that the execution program data can not be executed as a result of checking the execution program data in said first storage element upon a startup of the loader.

18. (CURRENTLY AMENDED) A download control method according to claim 16, further comprising enabling the fresh execution program data to be stored by initializing said first storage element into a known status when ~~judging~~determining that the execution program data can not be executed as a result of checking the execution program data in said first storage element upon a startup of the loader.

19. (CURRENTLY AMENDED) A download control method according to claim 17, further comprising setting a queuing time ~~time~~until the loader's own execution program data are stored in said first storage element, and restricting a repetition of initializing said first storage element by the loader and storing said second storage element with the download module containing unlawful execution program data.

20. (CURRENTLY AMENDED) A download control method according to claim 18, further comprising setting a queuing time ~~time~~until said first storage element is initialized by the loader, and restricting a repetition of initializing said first storage element by the loader and storing said second storage element with the download module containing unlawful execution program data.

21. (CURRENTLY AMENDED) A download control method according to claim 12, wherein the download module ~~is structured of~~including a fixed-length header field stored with the module identifying information containing at least a module name, a module creation date, a module version number and a storage start address, and at least one data field stored with a block length and data having a length corresponding to this block length, and

there is encrypted a block having the data field ~~containing~~including an actual data length corresponding to the execution program data, a storage start address, the execution program data, pad data for adjusting a data length to a cipherable length and a check digit generated from the above data.

22. (CANCELLED) A download control method according to claim 21, wherein the download module is decrypted by an encryption key generated from the data in the execution

program data in said first storage element and from the data in the module identifying information of the download module in said second storage element.